

WINCHESTER 
SUPREME
OPTICS



PRODUCT MANUAL

CONTENTS

- 6 SPECIFICATION CHART
- 8 USING THE MAGNIFICATION RING AND FOCUSING
- 9 USING THE TWIST-UP EYEPIECE AND SLIDING SUNSHADE
- 11 USING THE TABLE TOP TRIPOD
- 12 CLEANING AND MAINTENANCE
- 13 WARRANTY

Spotting Scopes

Congratulations on the purchase of a Winchester Supreme Spotting Scope!

Winchester Supreme spotting scopes incorporate brilliant fully multicoated glass that transmits intense colors and crisp detail, even in low light conditions. Color-saturated images with razor-sharp contrast and clarity that make the smallest details come to life. A smooth focus dial allows precise adjustments to define fur, feathers or antlers at extreme distances, and a large magnification range means your 100% waterproof spotter is perfect for all your outdoor adventures. A rotating collar positions the scope for maximum comfort and utility on the bench or in the field. Light weight and ergonomic, your Winchester Supreme spotting scope comes with a bench top tripod and a quality protective case designed for field use and carry.

Maximum power for the finest details at the longest distances! Our 65mm version provides ample power for hunters on the move, and our 80mm version allows maximum light transmission to the eye for the sharpest contrast and detail in all conditions, especially dawn and dusk.

Thank you for purchasing your Winchester Supreme Spotting Scope.

This manual will help you get maximum performance from your spotting scope by explaining the spotter's controls and features. Please take a moment to read the instructions before using your fine optic.



The spotting scope also includes a bench tripod, carrying/field case with a shoulder strap, lens cleaning cloth, and lens covers.





WINCHESTER® SUPREME® SPOTTING SCOPE	20-60x65 Angled		20-60x80 Angled	
	20x	60x	20x	60x
POWER	20x	60x	20x	60x
OBJ. LENS DIAMETER	65 mm	65 mm	80 mm	80 mm
EXIT PUPIL DIAMETER	3.2 mm	1.1 mm	4.0 mm	1.3 mm
OCULAR LENS OUTSIDE DIAMETER	22 mm	22 mm	28 mm	28 mm
OBJ. LENS OUTSIDE DIAMETER	66.5 mm	66.5 mm	82 mm	82 mm
EXIT RELIEF	18 mm	13 mm	17 mm	15 mm
FIELD OF VIEW	1.9°	0.9°	1.9°	0.9°
	99 ft	48 ft	99 ft	48 ft
	33 m	16 m	33 m	16 m
MIN. FOCAL LENGTH	6 m	6 m	8 m	8 m
	19 ft	19 ft	26 ft	26 ft
WATER PROOF	IPX7 (1m/30min)	IPX7 (1m/30min)	IPX7 (1m/30min)	IPX7 (1m/30min)
SUN SHADE	Yes	Yes	Yes	Yes
NITROGEN FILLED	Yes	Yes	Yes	Yes
EYECUPS SYSTEM	Twist-up	Twist-up	Twist-up	Twist-up
UNIT DIMENSION	375*85*155 mm	375*85*155 mm	485*100*175 mm	485*100*175 mm
	14.76*3.35*6.10 inch	14.76*3.35*6.10 inch	19.09*3.94*6.89 inch	19.09*3.94*6.89 inch
UNIT WEIGHT	1120 g	1120 g	1700 g	1700 g
	39.51 oz	39.51 oz	59.97 oz	59.97 oz



Using The Magnification Ring and Focusing

Rotating the magnification ring (zoom ring) on the spotter's eyepiece changes the magnification from low to high. Lower power settings provide a wider field of view and a brighter image, and higher power means more detail on distant objects. Focusing on distant objects reduces readjustments when moving to lower power. Note: Eyepiece is not removeable.



Using the Twist-Up Eyepiece and Sliding Sunshade

If you are not wearing glasses, twist up the rubber eyecup counterclockwise to extend it, and rotate in if needed for better field of view with eyewear. If the sun is at an angle and is causing lens flare, pull out the sunshade from the front of the optic to provide relief and a clear view.



Using the Table Top Tripod

Tripod use is essential for the best performance from your Winchester Supreme Spotting Scope.

Expand the tripod legs and place on stable surface. Insert the tripod screw into the spotting scope base and snug tight. Turning the tripod handle counter-clockwise unlocks the tripod head for both horizontal and vertical positioning of your spotting scope. Turn the tripod handle clockwise to lock the spotting scope into your chosen position.

Waterproof and Fogproof

Your Winchester Supreme spotting scope is 100% waterproof and fogproof. The latest materials and design technology means unchanged functionality through temperature extremes, with O-ring seals that encapsulate the dry nitrogen gas inside the scope. With an IPX7 rating, your spotter is submersible for up to half an hour at one meter depth. No moisture is getting into our optic! Use with confidence during Mother Nature's worst tantrums.

Cleaning and Maintenance


The lenses of your Winchester Supreme Spotting Scope are fully-multicoated for the highest possible light transmission. Please take care of your precision optic by following a few simple steps.

Remove dust and debris from exterior lens surfaces with a soft lens brush or by blowing with air.

A drop or two of cleaning fluid specially formulated for multi-coated optics on a piece of lens tissue lightly rotated in a circular motion will remove remaining dust and fingerprints.

Buffing lightly in a circular motion with our supplied microfiber cloth will polish your lens surface for the best possible performance.

Please keep your lens covers on when your spotter is not in use.



Warranty

Your precision Winchester Supreme Laser Rangefinder has a limited lifetime warranty. In the unlikely event that you require service on your rangefinder please contact us.

Phone: 888-811-2979

Email: info@worldofwinchester.com

Web: www.worldofwinchester.com

www.worldofwinchester.com/warranty

Scan the QR code with a mobile device for additional warranty details.

©2024 Apogee, Inc.

Made by Apogee, Inc. for Winchester®

Winchester® is a registered trademark of Olin Corporation and is used with permission.

The information provided in this manual is for familiarization purposes only. The contents of this manual are subject to change without notice, and with no commitment by Apogee, Inc. to notify customers of such updates. Apogee, Inc. assumes no responsibility for any errors that this manual may contain.

The operation and use of this product is the sole responsibility of the Customer and the Customer assumes all risks associated with the operation and use of this product.

